



ABN: 91 593 019 388 Builder's Licence No. 201115C

180 Carrington Street  
REVESBY NSW 2212  
PO Box 742  
REVESBY NSW 2212

Phone: 02 9774 5366  
Fax: 02 9774 5843  
Email: [info@mittenvinyl.com.au](mailto:info@mittenvinyl.com.au)  
Web: [www.mittenvinyl.com.au](http://www.mittenvinyl.com.au)

## FACT SHEET

### Bushfire Attack Level (BAL)

Mitten Vinyl claddings conform to and/or surpass certification standards in many countries.

Canada	CAN/CGSB-41.24.94
United States	ASTM 3679.02
Australia	AS/NZ S4256 Type B

Fire related properties are presented on the Mitten website.

For BAL-19 Construction for Bushfire Attack Level please refer to:

Standard AS 3959-2009 External Walls, Section 6.4.1 and 5.4.1

Under AS 3959.2009 vinyl (PVC) is permitted for use on external walls 400mm above the ground or other surfaces, in Bushfire Attack Levels up to and including BAL-19. See section 5.4.1 and 6.4.1

It is the responsibility of the builder or specifier to be aware of any changes in this Standard should they occur.

For further information refer BAL Assessments [www.bal.net.au](http://www.bal.net.au)



The trustee for Mitten Vinyl Australia Trust is MV Australia Holdings Pty Ltd ACN 125 280 702